



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search for

☒ Limits ☐ Preview/Index ☐ History ☐ Clipboard ☐ Details

About Entrez

Limits: Publication Date to 2001/03/01

Text Version

☒ Show:

Items 1-20 of 39

Page of 2 Ne

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

☐ 1: [Buczek O, Olivera BM, Bulaj G.](#) [Related Articles, Li](#)

☐ Propeptide does not act as an intramolecular chaperone but facilitates protein disulfide isomerase-assisted folding of a conotoxin precursor.
Biochemistry. 2004 Feb 3;43(4):1093-101.
PMID: 14744155 [PubMed - in process]

☐ 2: [Cuthbertson A, Indrevoll B.](#) [Related Articles, Li](#)

☐ Regioselective formation, using orthogonal cysteine protection, of an alpha-conotoxin dimer peptide containing four disulfide bonds.
Org Lett. 2003 Aug 7;5(16):2955-7.
PMID: 12889917 [PubMed - indexed for MEDLINE]

☐ 3: [Conticello SG, Kowalsman ND, Jacobsen C, Yudkovsky G, Sato K, Elazar Z, Petersen CM, Aronheim A, Fainzilber M.](#) [Related Articles, Li](#)

☐ The prodomain of a secreted hydrophobic mini-protein facilitates its export from the endoplasmic reticulum by hitchhiking on sorting receptors.
J Biol Chem. 2003 Jul 18;278(29):26311-4. Epub 2003 May 27.
PMID: 12771154 [PubMed - indexed for MEDLINE]

☐ 4: [Van Wagoner RM, Jacobsen RB, Olivera BM, Ireland CM.](#) [Related Articles, Li](#)

☐ Characterization and three-dimensional structure determination of psi-conotoxin Piiif, a novel noncompetitive antagonist of nicotinic acetylcholine receptors.
Biochemistry. 2003 Jun 3;42(21):6353-62.
PMID: 12767216 [PubMed - indexed for MEDLINE]

☐ 5: [DeLa Cruz R, Whitby FG, Buczek O, Bulaj G.](#) [Related Articles, Li](#)

☐ Detergent-assisted oxidative folding of delta-conotoxins.
J Pept Res. 2003 Apr;61(4):202-12.
PMID: 12605605 [PubMed - indexed for MEDLINE]










☐ 6: [Grottesi A, Sansom MS.](#) [Related Articles, Li](#)

☐ Molecular dynamics simulations of a K⁺ channel blocker: Tc1 toxin from Tityus cambridgei.
FEBS Lett. 2003 Jan 30;535(1-3):29-33.
PMID: 12560073 [PubMed - indexed for MEDLINE]

☐ 7: [Price-Carter M, Bulaj G, Goldenberg DP.](#) [Related Articles, Li](#)

☐ Initial disulfide formation steps in the folding of an omega-conotoxin.
Biochemistry. 2002 Mar 12;41(10):3507-19.
PMID: 11876659 [PubMed - indexed for MEDLINE]

[Favreau P, Gilles N, Lamthanh H, Bournaud R, Shimahara T, Bouet F, Laboute P,](#)

- ☐ **8:** [Letourneux Y, Menez A, Molgo J, Le Gall F.](#) Related Articles, Li
 A new omega-conotoxin that targets N-type voltage-sensitive calcium channels with unusual specificity.
 Biochemistry. 2001 Dec 4;40(48):14567-75.
 PMID: 11724570 [PubMed - indexed for MEDLINE]
- ☐ **9:** [Goldenberg DP, Koehn RE, Gilbert DE, Wagner G.](#) Related Articles, Li
 Solution structure and backbone dynamics of an omega-conotoxin precursor.
 Protein Sci. 2001 Mar;10(3):538-50.
 PMID: 11344322 [PubMed - indexed for MEDLINE]
- ☐ **10:** [Kobayashi K, Sasaki T, Sato K, Kohno T.](#) Related Articles, Li
 Three-dimensional solution structure of omega-conotoxin TxVII, an L-type calcium channel blocker.
 Biochemistry. 2000 Dec 5;39(48):14761-7.
 PMID: 11101291 [PubMed - indexed for MEDLINE]
- ☐ **11:** [Balaji RA, Ohtake A, Sato K, Gopalakrishnakone P, Kini RM, Seow KT, Bay BH.](#) Related Articles, Li
 lambda-conotoxins, a new family of conotoxins with unique disulfide pattern and prote folding. Isolation and characterization from the venom of *Conus marmoreus*.
 J Biol Chem. 2000 Dec 15;275(50):39516-22.
 PMID: 10988292 [PubMed - indexed for MEDLINE]
- ☐ **12:** [Jones RM, Bulaj G.](#) Related Articles, Li
 Conotoxins - new vistas for peptide therapeutics.
 Curr Pharm Des. 2000 Aug;6(12):1249-85. Review.
 PMID: 10903392 [PubMed - indexed for MEDLINE]
- ☐ **13:** [Marti-Renom MA, Stote RH, Querol E, Aviles FX, Karplus M.](#) Related Articles, Li
 Structures of scrambled disulfide forms of the potato carboxypeptidase inhibitor predicted by molecular dynamics simulations with constraints.
 Proteins. 2000 Aug 15;40(3):482-93.
 PMID: 10861940 [PubMed - indexed for MEDLINE]
- ☐ **14:** [Boisbouvier J, Blackledge M, Sollier A, Marion D.](#) Related Articles, Li
 Simultaneous determination of disulphide bridge topology and three-dimensional structure using ambiguous intersulphur distance restraints: possibilities and limitations
 J Biomol NMR. 2000 Mar;16(3):197-208.
 PMID: 10805126 [PubMed - indexed for MEDLINE]
- ☐ **15:** [Flinn JP, Pallaghy PK, Lew MJ, Murphy R, Angus JA, Norton RS.](#) Related Articles, Li
 Role of disulfide bridges in the folding, structure and biological activity of omega-conotoxin GVIA.
 Biochim Biophys Acta. 1999 Sep 14;1434(1):177-90.
 PMID: 10556572 [PubMed - indexed for MEDLINE]
- ☐ **16:** [Sasaki T, Feng ZP, Scott R, Grigoriev N, Syed NI, Fainzilber M, Sato K.](#) Related Articles, Li
 Synthesis, bioactivity, and cloning of the L-type calcium channel blocker omega-conotoxin TxVII.
 Biochemistry. 1999 Sep 28;38(39):12876-84.
 PMID: 10504258 [PubMed - indexed for MEDLINE]
- ☐ **17:** [Garcia E, Scanlon M, Naranjo D.](#) Related Articles, Li



A marine snail neurotoxin shares with scorpion toxins a convergent mechanism of blockade on the pore of voltage-gated K channels.

J Gen Physiol. 1999 Jul;114(1):141-57.

PMID: 10398697 [PubMed - indexed for MEDLINE]

☐ 18: [Pallaghy PK, Norton RS.](#)

[Related Articles](#), [Li](#)



Refined solution structure of omega-conotoxin GVIA: implications for calcium channel binding.

J Pept Res. 1999 Mar;53(3):343-51.

PMID: 10231724 [PubMed - indexed for MEDLINE]

☐ 19: [Wolfender JL, Chu F, Ball H, Wolfender F, Fainzilber M, Baldwin MA, Burlingame AL.](#)

[Related Articles](#), [Li](#)



Identification of tyrosine sulfation in *Conus pennaceus* conotoxins alpha-PnIA and alpha-PnIB: further investigation of labile sulfo- and phosphopeptides by electrospray, matrix-assisted laser desorption/ionization (MALDI) and atmospheric pressure MALD mass spectrometry.

J Mass Spectrom. 1999 Apr;34(4):447-54.

PMID: 10226369 [PubMed - indexed for MEDLINE]

☐ 20: [Civera C, Vazquez A, Sevilla JM, Bruix M, Gago F, Garcia AG, Sevilla P.](#)

[Related Articles](#), [Li](#)



Solution structure determination by two-dimensional ¹H NMR of omega-conotoxin MVIID, a calcium channel blocker peptide.

Biochem Biophys Res Commun. 1999 Jan 8;254(1):32-5.

PMID: 9920728 [PubMed - indexed for MEDLINE]

Display Show: Sort

Items 1-20 of 39

Page of 2 [Ne](#)


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Jan 29 2004 15:



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Book

Search for

☒ Limits Preview/Index History Clipboard Details

About Entrez

Limits: Publication Date to 2001/03/01

Text Version

Show: Sort: Send to:

Items 21-39 of 39

Previous of 1

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

PubMed Services

Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
LinkOut
Cubby

Related Resources

Order Documents
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

Privacy Policy

☐ **21:** Norton RS, Pallaghy PK. Related Articles, Li



The cystine knot structure of ion channel toxins and related polypeptides.
Toxicon. 1998 Nov;36(11):1573-83.
PMID: 9792173 [PubMed - indexed for MEDLINE]

☐ **22:** Prorok M, Castellino FJ. Related Articles, Li



Thermodynamics of binding of calcium, magnesium, and zinc to the N-methyl-D-aspartate receptor ion channel peptidic inhibitors, conantokin-G and conantokin-T.
J Biol Chem. 1998 Jul 31;273(31):19573-8.
PMID: 9677382 [PubMed - indexed for MEDLINE]

☐ **23:** Maslennikov IV, Sobol AG, Gladky KV, Lugovskoy AA, Ostrovsky AG, Tsetlin VI, Ivanov VT, Arseniev AS. Related Articles, Li



Two distinct structures of alpha-conotoxin GI in aqueous solution.
Eur J Biochem. 1998 Jun 1;254(2):238-47.
PMID: 9660176 [PubMed - indexed for MEDLINE]

☐ **24:** Price-Carter M, Hull MS, Goldenberg DP. Related Articles, Li



Roles of individual disulfide bonds in the stability and folding of an omega-conotoxin.
Biochemistry. 1998 Jul 7;37(27):9851-61.
PMID: 9657699 [PubMed - indexed for MEDLINE]

☐ **25:** Gehrmann J, Alewood PF, Craik DJ. Related Articles, Li



Structure determination of the three disulfide bond isomers of alpha-conotoxin GI: a model for the role of disulfide bonds in structural stability.
J Mol Biol. 1998 May 1;278(2):401-15.
PMID: 9571060 [PubMed - indexed for MEDLINE]

☐ **26:** Shon KJ, Koerber SC, Rivier JE, Olivera BM, McIntosh JM. Related Articles, Li













Three-dimensional solution structure of alpha-conotoxin MII, an alpha3beta2 neuronal nicotinic acetylcholine receptor-targeted ligand.
Biochemistry. 1997 Dec 16;36(50):15693-700.
PMID: 9398298 [PubMed - indexed for MEDLINE]

☐ **27:** Sato K, Raymond C, Martin-Moutot N, Sasaki T, Omori A, Ohtake A, Kim JJ, Kohno T, Takahashi M, Seagar M. Related Articles, Li



Binding of chimeric analogs of omega-conotoxin MVIIA and MVIIC to the N- and P/Q type calcium channels.
FEBS Lett. 1997 Sep 8;414(2):480-4.
PMID: 9315745 [PubMed - indexed for MEDLINE]

☐ **28:** Price-Carter M, Gray WR, Goldenberg DP. Related Articles, Li

-  Folding of omega-conotoxins. 2. Influence of precursor sequences and protein disulfide isomerase.
Biochemistry. 1996 Dec 3;35(48):15547-57.
PMID: 8952509 [PubMed - indexed for MEDLINE]
- ☐ **29:** Price-Carter M, Gray WR, Goldenberg DP. Related Articles, Li
-  Folding of omega-conotoxins. 1. Efficient disulfide-coupled folding of mature sequence in vitro.
Biochemistry. 1996 Dec 3;35(48):15537-46.
PMID: 8952508 [PubMed - indexed for MEDLINE]
- ☐ **30:** Kubo S, Chino N, Kimura T, Sakakibara S. Related Articles, Li
-  Oxidative folding of omega-conotoxin MVIIC: effects of temperature and salt.
Biopolymers. 1996 Jun;38(6):733-44.
PMID: 8652794 [PubMed - indexed for MEDLINE]
- ☐ **31:** Kohn T, Kim JI, Kobayashi K, Koder Y, Maeda T, Sato K. Related Articles, Li
-  Three-dimensional structure in solution of the calcium channel blocker omega-conotoxin MVIIA.
Biochemistry. 1995 Aug 15;34(32):10256-65.
PMID: 7640281 [PubMed - indexed for MEDLINE]
- ☐ **32:** Kim JI, Konishi S, Iwai H, Kohn T, Gouda H, Shimada I, Sato K, Arata Y. Related Articles, Li
-  Three-dimensional solution structure of the calcium channel antagonist omega-agatoxin IVA: consensus molecular folding of calcium channel blockers.
J Mol Biol. 1995 Jul 28;250(5):659-71.
PMID: 7623383 [PubMed - indexed for MEDLINE]
- ☐ **33:** Sine SM, Kreienkamp HJ, Bren N, Maeda R, Taylor P. Related Articles, Li
-  Molecular dissection of subunit interfaces in the acetylcholine receptor: identification of determinants of alpha-conotoxin M1 selectivity.
Neuron. 1995 Jul;15(1):205-11.
PMID: 7619523 [PubMed - indexed for MEDLINE]
- ☐ **34:** Arai K, Ishima R, Morikawa S, Miyasaka A, Imoto T, Yoshimura S, Aimoto S, Akasaka K. Related Articles, Li
-  Three-dimensional structure of gurmarin, a sweet taste-suppressing polypeptide.
J Biomol NMR. 1995 Apr;5(3):297-305.
PMID: 7787425 [PubMed - indexed for MEDLINE]
- ☐ **35:** Sevilla P, Bruix M, Santoro J, Gago F, Garcia AG, Rico M. Related Articles, Li
-  Three-dimensional structure of omega-conotoxin GVIA determined by 1H NMR.
Biochem Biophys Res Commun. 1993 May 14;192(3):1238-44.
PMID: 8343203 [PubMed - indexed for MEDLINE]
- ☐ **36:** Kubo S, Chino N, Watanabe TX, Kimura T, Sakakibara S. Related Articles, Li
-  Solution synthesis of mu-conotoxin GIIIB: optimization of the oxidative folding reaction.
Pept Res. 1993 Mar-Apr;6(2):66-72.
PMID: 8485339 [PubMed - indexed for MEDLINE]
- ☐ **37:** Zhang RM, Snyder GH. Related Articles, Li
-  Factors governing selective formation of specific disulfides in synthetic variants of alpha-conotoxin.

Biochemistry. 1991 Nov 26;30(47):11343-8.
PMID: 1958670 [PubMed - indexed for MEDLINE]

☐ **38:** [Lancelin JM, Kohda D, Tate S, Yanagawa Y, Abe T, Satake M, Inagaki F.](#)

[Related Articles, Li](#)



Tertiary structure of conotoxin GIIIA in aqueous solution.
Biochemistry. 1991 Jul 16;30(28):6908-16.
PMID: 2069951 [PubMed - indexed for MEDLINE]

☐ **39:** [Ott KH, Becker S, Gordon RD, Ruterjans H.](#)

[Related Articles, Li](#)



Solution structure of mu-conotoxin GIIIA analysed by 2D-NMR and distance geometry calculations.
FEBS Lett. 1991 Jan 28;278(2):160-6.
PMID: 1991506 [PubMed - indexed for MEDLINE]

Display **Summary** Show: **20** Sort **Send to** **Text**

Items 21-39 of 39

Previous **Page** **2** of 3

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Freedom of Information Act](#) | [Disclaimer](#)

Jan 29 2004 15: